



ITEM Code	Pack	Dealer	Break Qty	Break %	Description	Type
Fans & Heaters						
	AIR CONDITIONER - AMERICAN COMFORT					
061-2344	1/EA	0335-294			ACW300C AMERICAN COMFORT AIR CONDITIONER 12000 BTU 3 SPEED	NEW
	BASEBOARD HEATER 1500W					
065-2522	1/EA	J044-053			HZ617C BASEBOARD HEATER 1500W 30.5"-2 HEAT SETTINGS	
BASEBOARD HEATERS						
• 240 volt						
	063-2786	1/EA	G015-784		500W 27.6" BSEBOARD HEATR BGE	ned
	063-2792	1/EA	T037-604		750W 38.6" BSEBOARD HEATR BGE	ned
	063-2796	1/EA	R022-232		N10V2 48.6" BASEBOARD HEATER ALMOND 1000W	ned
	063-2800	1/EA	J026-253		N12V2 56.7" BASEBOARD HEATER ALMOND 1250W	ned
	063-2802	1/EA	L059-179		N15V2 65.8" BASEBOARD HEATER ALMOND 1500W	ned
	063-2804	1/EA	J034-604		N17V2 74.8" BASEBOARD HEATER ALMOND 1750W	ned
	063-2805	1/EA	K073-345		N20V2 83.9" BASEBOARD HEATER ALMOND 2000W	ned
	063-2810	1/EA	H026-210		500WATT 240V BASEBOARD HEATER DBH-0500W (27.6"LONG) WHITE	
	063-2811	1/EA	J030-091		750W 240V BASEBOARD HEATER DBH-0750W (38.6" LONG) WHITE	
	063-2813	1/EA	L033-748		1000W 240V BASEBOARD HEATER DBH-1000W (47.6" LONG) WHITE	
	063-2815	1/EA	D040-219		1250W 240V BASEBOARD HEATER DBH-1250W (56.7" LONG) WHITE	
	063-2817	1/EA	G043-821		1500W 240V BASEBOARD HEATER DBH-1500W (65.8" LONG) WHITE	
	063-2819	1/EA	G057-603		2000W 240V BASEBOARD HEATER DBH-2000W (83.4" LONG) WHITE	
	063-2820	1/EA	D062-633		2500W 240V BASEBOARD HEATER DBH-2500W (102"LONG) WHITE	
	063-5002	1/EA	G026-301		DBH-0300W BASEBOARD HEATER 240V 300W WHITE 22.1"L	
DIMPLEX - ELECTRIC FIREPLACES						
<ul style="list-style-type: none"> • 1500 Watts of heating power • Easily Portable • Plugs into a standard household outlet • 100% efficient heating • No installation or venting required 						
	065-2530	1/EA	0141-981		CS3311 ELECTRIC FIREPLACE	
	065-2544	1/EA	0309-940		PLASMA WALL MOUNT FIREPLACE SS EF-DBL-2000-DD2-SS	


DIMPLEX COMPACT FIREPLACE - WALNUT DFP3641

065-2538 1/EA 0344-195 CFP3798 COMPACT CASUAL -WALNUT 20" FIREBOX


DIMPLEX FIREPLACE INSERT - DF12309

- Patented flame technology
- Built-in forced heater
- Front mount switches
- Distributes heat evenly
- Economical operation

065-2534 1/EA 0237-116 DF12309 FIREPLACE INSERT


DIMPLEX TRADITIONAL STOVE W/ REMOTE DS5598

- Realistic flame - incredible lifelike
- Instant ambiance
- Safe and clean electric operation
- Effective heat
- Operates with or without heat

065-2532 1/EA 0204-447 DS5603 STOVE W REMOTE


FANS - 20" BOX FAN

066-3150 1/EA H024-010 3733C 20" BOX FAN


FANS - COMMERCIAL 18" FLOORFAN HV-180

- Reinforced wire grill for added safety
- Front mounted speed controls
- 3 prong plug
- Head pivots for use as an air circulator
- Meets OSHA industrial/commercial grade standard
- Meets national electric code industrial/ commercial grade standard
- 3 speed motor
- 5 year limited warranty

066-3120 1/EA G051-407 HV180 COMMERCIAL 18" FLOOR FAN









FANS - HONEYWELL HS SERIES - STAND FANS

- Oscillating
- Automatic timer
- Remote control included



066-3110 1/EA P038-087 HS1665C OSCILLATING 16" FAN ON STAND W/REMOTE CONTROL

FANS - HONEYWELL HV SERIES - COMMERCIAL

- Great for use as an air circulator
- 3 speed motor is strong and quiet
- 3 prong power cord for added safety
- Extra large lubricated pads promote years of quiet, maintenance-free cooling
- Easy access, front mounted control panel

	<ul style="list-style-type: none"> Reinforced steel grill helps prevent fingers from reaching blade surface Convenient carrying handle
	<p>065-2322 1/EA L053-399 HV141 COMMERCIAL 14" FAN ON STAND HEAD PIVOTS</p>
	<p>066-3119 1/EA A044-206 HV140 COMMERCIAL 14" FAN 3 SPEED BLACK NICKEL</p>
	<p>FANS - HS-0016 16" OSC FAN W/STAND</p> <ul style="list-style-type: none"> 3 speed quiet, powerful motor oscillating adjustable height
	<p>066-3132 1/EA K028-564 HS0016 OSCILLATING FAN 16" W/ STAND - ROUND BASE</p>
	<p>FANS - SEABREEZE TURBO FAN</p>
	<p>065-2300 1/EA G072-923 3200 12" TURBO FAN 1340 CFM 40/PALLET</p>
	<p>FANS - SUPER TECH DESK FAN</p> <ul style="list-style-type: none"> High intensity max velocity blades for dynamic power Variable tilt fan head pivots 90 degrees for use as an air circulator Recessed carrying handle Durable base allows for wall mounting option 3 speed motor 5 year limited warranty
	<p>065-2306 1/EA G014-864 HT900 SUPER TECH DESK FAN *</p>
	<p>FANS - TOWER FAN WITH 5 SPEEDS</p>
	<p>066-3130 1/EA P042-858 HY105C 40" TOWER FAN W/5 SPEED</p>
	<p>HEATER - CERAMIC BLACK</p>
	<p>065-2315 1/EA G029-959 HZ306C CERAMIC QUICKHEATER TIP-OVER SWITCH PROTECTION</p>
	<p>HEATER - COMMERCIAL GRADE</p>

	<p>065-2319 1/EA J036-950 HZ2110 COMMERCIAL METAL HEATER HIGH/LOW/FAN FEATURE</p>
	<p>HEATER - FAN HEATER</p> <ul style="list-style-type: none"> • Contemporary styled heater fan. • On/Off Switch. • Power Light. • Adjustable Thermostat-maintains desired temperature • Triple Safety Protection. • 3 Auto-Off Systems for added safety. • Five year limited Warranty. <p>065-2313 1/EA G020-745 HZ2000 HEATER FAN W ADJ THERMT WHITE</p>
	<p>HEATER - INFRARED HEATER</p> <p>061-2326 1/EA 0324-114 HL1500UVT INFRARED HEATER TUSN 1500W 5200 BTU NEW</p>
	<p>HEATER - OIL-FILLED RADIATOR HEATER NO. HZ690</p> <ul style="list-style-type: none"> • 7 Fin Oil- Filled Heater • Adjustable Thermostat • Three Heat Settings • Back-lit Control Panel • Front Mounted Cord Wrap <p>065-2525 1/EA K052-694 HZ690C OIL FILLED RADIATOR HEATER W/7 FINS</p>
HEATER - PORTABLE BUDDY HEATER	
	<p>042-1790 1/EA 0142-674 MH18B BIG BUDDY HEATER F274865 BIG BUDDY HEATER</p>
	<p>042-1812 1/EA H095-435 MH9B PORTABLE BUDDY PROPANE HEATER F273400</p>
	<p>HEATER - PORTABLE CONSTRUCTION HEATER</p> <p>063-4005 1/EA K078-317 36020 CONSTRUCTION HEATER 240V PORTABLE 240V 4800W 300CFM NEW</p>
HEATER - ROOM HEATER HONEYWELL	

	065-2312	1/EA	T051-420	HZ725C WHOLE ROOM HEATER
	HEATER - SMART ENERGY HEATER FAN HZ7200C			
	065-2523	1/EA	H044-009	HZ7200C SMART ENERGY HEATERFAN W/DIGITAL CONTROLS

Dryer Duct & Vents				
	ALUMINUM ADJUSTABLE ELBOW			
	<ul style="list-style-type: none"> • All aluminum 4 pc construction • Fully adjustable to 90 degrees 			
	060-4318	1/EA	K801-066	DE903 ALUMINUM ELBOW, 90 DEGREE - ADJUSTABLE 3"
	060-4320	1/EA	G301-014	DE904 ALUMINUM ELBOW, 90 DEGREES - ADJUSTABLE 4"
	ALUMINUM FLEXIBLE DUCTING			
	060-4298	1/EA	H803-033	A038/16 ALUMINUM SEMI-RIGID FLEXIBLE DUCT 3" X 8'
	060-4306	1/EA	J403-560	A048X9 ALUMINUM SEMI-RIGID FLEXIBLE DUCT 4" X 8'
	060-4308	1/EA	D804-888	A058X/5 ALUMINUM SEMI-RIGID FLEXIBLE DUCT 5" X 8'
	060-4309	1/EA	K506-005	A068/4 ALUMINUM SEMI-RIGID FLEXIBLE DUCT 6" X 8"
	ALUMINUM SNAP LOCK PIPE			
	ALUMINUM SNAP LOCK PIPE			
	<ul style="list-style-type: none"> • Ideal for venting most types of heating units • Features easy to close snap lock seam snap lock seam. 			
	060-4314	1/EA	T430-960	DP243 ALUMINUM PIPE 3" X 24"
	060-4316	1/EA	R801-053	DP244/12 ALUMINUM PIPE 4"X24"
	CLAMPS FOR DRYER DUCTING			
	060-4246	1/EA	L120-190	CX34 PLASTIC CLAMP ADJUSTABLE 3" TO 4" 2/PK
	DUCTING PIPE AND CONNECTORS			
	WHITE FLEXIBLE DUCTING			
	<ul style="list-style-type: none"> • A heavy vinyl duct manufactured to withstand continuous 180 deg F operation • Bulk pack 			
	FLEXIBLE DUCT CONNECTOR KIT			
	<ul style="list-style-type: none"> • Connect 2 pieces of 4" flexible duct together • Extend exhaust collar of clothes dryer 			
	INCREASER/DECREASER			
	<ul style="list-style-type: none"> • Connect 3" to 4" ducting together • Attach 4" ducting to 3" exhaust collar 			



060-4294 1/EA T901-565 FDC4 4" DUCT COUPLER



060-4296 1/EA T310-814 IRB43 PLASTIC INCREASER DECREASER 3" TO 4"

DUCTING PROFLEX TRANSITION ALUMINUM DUCTING

F0450

- 4" dia. x 50 ft. Supurr-Flex multi-layered duct

Features:

- fire resistant
- flexible, easy to install



060-4328 1/EA D603-351 F0405B 4X5'PROFLX TRANS DUCT

NEW



060-4330 1/EA H105-312 F0408B 4X8'PROFLX TRANS DUCT



060-4332 1/EA K018-799 F0450 4" X 50' SUPURR-FLEX DUCT

MYLAR DUCTING

FLS0425

- 4" dia. x 25 ft. UL Listed 2 ply flexible metallic duct with reinforced scrim

Features:

- UL Listed 181 Class 1 Air Connector
- Reinforced scrim gives added strength
- For use in low to medium pressure HVAC applications, bathroom venting and general venting



060-4233 1/EA L907-687 FLS0325 METALLIC DUCT 3" X 25' AIR CONNECTOR W/ SCRIM

060-4235 1/EA A010-008 FLS0425 METALLIC DUCT 4" X 25' AIR CONNECTOR W/ SCRIM

060-4236 1/CTN K011-662 FLS0525 METALLIC DUCT 5" X 25' AIR CONNECTOR W/ SCRIM





060-4238 1/CTN T012-564 FLS0625 METALLIC DUCT 6" X 25' AIR CONNECTOR W/ SCRIM

060-4243 1/CTN T014-618 FLS0825 METALLIC DUCT 8" X 25' AIR CONNECTOR W/ SCRIM



PFL DRY VENT HOSE

- A white all-purpose flex tubing vent hose
- Copper clad wire reinforced
- Marked each foot
- Boxed

	060-4232	50/FT	T670-184	BH350W VINYL DUCT FLEXIBLE 3" X 50' WHITE
	060-4234	50/FT	P890-197	BH450W VINYL DUCT FLEXIBLE 4" X 50' WHITE
VENT CAPS <ul style="list-style-type: none"> • Easily installed • Back-up plate included • Carded 				
	060-4256	1/EA	K730-674	HS4W SUPURR-VENT LOUVERED HOOD 4" WHITE
	060-4292	1/EA	H601-451	HR4W WIDE MOUTH VENT CAP 4" WHITE
	VENT HOODS <ul style="list-style-type: none"> • These high impact plastic vent caps are securely stapled to an aluminum tail piece and are complete with matching back plates • Boxed 			
	060-4264	1/EA	G202-002	SVHAW4/18 4" SUPURR-VENT LOUVERED HOOD W/ PIPE WHITE
	060-4268	1/EA	D201-757	SVHAW3 3" SUPURR-VENT LOUVERED HOOD W/ PIPE WHITE
	060-4272	1/EA	H802-753	SVMAW4 4" SUPURR-VENT PLASTIC LOUVERED FRESH AIR INTAKE WHT
VENT HOODS - HOODED <ul style="list-style-type: none"> • The high impact plastic vent cap complete with a matching back up plate 				
NO IMAGE	060-4253	1/EA	A605-317	GVHAW4 SUPURR-GUARD LOUVERED HOOD 4" WHITE DRYER VENT
	060-4254	1/EA	H402-326	RVHAW4 4" WIDE MOUTH VENT WHT W/ REMOVABLE BIRD/RODENT GUARD
	060-4255	1/EA	G502-327	RVHAB4 4" WIDE MOUTH VENT BRN W/ REMOVABLE BIRD/RODENT GUARD
	060-4265	1/EA	H601-406	HR3W WIDE MOUTH VENT CAP 3" WHITE

	060-4266	1/EA	J840-675	HS3W/48 SUPURR-VENT LOUVERED HOOD 3" WHITE	NEW
	VENT KIT - DRYER VENT HEAT KEEPER <ul style="list-style-type: none"> • An air diverter that provides extra heat and humidity while dryer is operating • Features special lint filter attachment • Two-way valve that keeps heat inside in the winter, outside in the summer • Easy to install 				
	060-4270	1/EA	H803-853	EX12 DRYER HEAT SAVER	
	VENT KIT - INDOOR DRYER <ul style="list-style-type: none"> • No need to drill holes to vent your dryer • This indoor dryer vent kit allows you to vent your dryer where outdoor venting is impractical • Designed to trap lint and vent your dryer at the same time • Ideal for apartments, condominiums and mobile homes 				
	060-4304	1/EA	D906-954	LTF LINT TRAP KIT W/ SUPURR FLEX	
	WALL DUCTING CAP WITH DAMPER				
	068-6818	1/EA	T013-529	3"X10X10 WALL CAP W/DAMPER	wsl

Furnace Filters	
------------------------	--

	3M DUST REDUCTION FILTERS <ul style="list-style-type: none"> • Furnace filters that are 10 times more efficient than standard filters • Provides cleaner air, collects more dust, and controls pollen 				
	062-4126	1/EA	L906-521	9852DC-NA 20"X20"X1" DUST REDUCTION FILTER FILTRETE	
	062-4128	1/EA	J106-523	9853DC-NA 20"X25"X1" DUST REDUCTION FILTER FILTRETE	
	3M ELECTROSTATIC MICRO PARTICLE AIR FILTER <ul style="list-style-type: none"> • Outperforms all other 1" filters at removing allergy-aggravating micro-particles of dust, smoke, and viruses • Also traps most large particles like pollen, mold, lint, and pet dander 				
	062-4330	1/EA	R013-040	9800DC-6-C 16"X20"X 1" MICRO ALLERGEN REDUCTION FILTER	



062-4332 1/EA K013-042 9801DC-6-C 16"X25"X1" MICRO ALLERGEN REDUCTION FILTER



062-4334 1/EA H013-044 9802DC-6-C 20"X20"X1" MICRO ALLERGEN REDUCTION FILTER



062-4336 1/EA T013-046 9803DC-6-C 20"X25"X1" MICRO ALLERGEN REDUCTION FILTER



062-4340 1/EA L013-041 9804DC-6-C 14"X25"X1" MICRO ALLERGEN REDUCTION FILTER



062-4356 1/EA T017-716 2000DC-6-C 16"X20"X1" ULTRA ALLERGEN REDUCTION FILTER



062-4358 1/EA P017-718 2001DC-6-C 16"X25"X1" ULTRA ALLERGEN REDUCTION FILTER



062-4360 1/EA L017-711 2002DC-6-C 20"X20"X1" ULTRA ALLERGEN REDUCTION FILTER

062-4362 1/EA J017-724 2003DC-6-C 20"X25"X1" ULTRA ALLERGEN REDUCTION FILTER



AIR FILTER HAMMOCK STYLE

- This high quality filtration media can be used in furnaces and air conditioners
- The material can be cut to any size and is attractively packaged for best sales results
- Manufactured to comply with and exceed furnace designer's specifications

062-4288	1/EA	L102-301	150-484-812+ HAMMOCK FILTER 30X32X1
062-4290	1/EA	H602-528	150-535-812+ HAMMOCK FILTER 30X38X1
062-4292	1/EA	T102-823	150-536-812+ HAMMOCK FILTER 30X45X1
062-4294	1/EA	R803-220	150-537-812+ HAMMOCK FILTER 30X62X1
062-4296	1/EA	H014-717	150-888-112 HAMMOCK FILTER 30"X20"X1"



ECONOMICAL FURNACE FILTER

- Fiberglass furnace filter
- Sturdy, economical filter for residential, commercial, and light industrial use

062-3996	12/EA	P701-107	220-382-051 STRATA DENSITY FIBERGLASS FILTER 14X16X1
062-4000	12/EA	J201-157	220-400-051 STRATA DENSITY FIBERGLASS FILTER 15X20X1
062-4002	12/EA	G801-700	12X16X1 STRATA DENSITY FILTER
062-4004	12/EA	D601-106	220-500-051 STRATA DENSITY FIBERGLASS FILTER 16X20X1
062-4006	12/EA	A801-108	220-700-051 STRATA DENSITY FIBERGLASS FILTER 20X20X1
062-4008	12/EA	L801-100	220-600-051 STRATA DENSITY FIBERGLASS FILTER 16X25X1
062-4010	12/EA	H301-103	220-800-051 STRATA DENSITY FIBERGLASS FILTER 20X25X1
062-4012	12/EA	T501-105	220-314-051 STRATA DENSITY FIBERGLASS FILTER 12X20X1
062-4014	12/EA	P701-152	220-371-051 STRATA DENSITY FIBERGLASS FILTER 14X20X1
062-4016	12/EA	R901-154	220-375-051 STRATA DENSITY FIBERGLASS FILTER 14X25X1
062-4018	12/EA	K101-101	220-448-051 STRATA DENSITY FIBERGLASS FILTER 16X16X1
062-4020	12/EA	G401-159	220-782-051 STRATA DENSITY FIBERGLASS FILTER 20X24X1



PLEATED FURNACE FILTERS

062-4034	1/EA	R016-980	19X37X1 FURNACE FILTER PLEAT AMAIRXL800
----------	------	----------	---

Floor Registers & Deflectors



AIR DEFLECTORS

- Improve heating and cooling efficiency by directing warm air down and cool air up
- Held firmly to floor and wall register by magnets
- Made of clear high heat plastic
- Adjustable from 10" to 15"

062-2112	1/EA	T401-004	101 CLEAR FLOOR AIR DEFLECTOR 10-14" W/RUBBER MAGNET
----------	------	----------	--






FLOOR DIFFUSERS

068-6932	1/EA	K103-390	3X10 METAL FLR DIFFUSR E60 BRN	wsf
068-6936	1/EA	T703-596	4X10 METAL FLR DIFFUSR E60 BRN	wsf

FLOOR REGISTERS - BRASS PLATED

- Each floor register is constructed in a one-piece heavy gauge steel face format with bright brass finish and features hold down tabs to secure the unit in a rough opening

	062-2130	1/EA	H105-301	10"X 3"BRASS FLOOR REGISTER	wsl
	062-2132	1/EA	T305-303	10"X 4"BRASS FLOOR REGISTER	wsl
	FLOOR REGISTERS - METAL				
	068-9175	1/EA	A703-207	3X10 METAL REGISTER WHITE 6672550	wsl
	068-9176	1/EA	R103-590	4X10 METAL REGISTER WHITE 6670347	wsl
	FLOOR REGISTERS - PLASTIC				
	062-2300	1/EA	A204-857	3X10 PLASTIC POPUP VENT WHITE	wsl
	062-2306	1/EA	G904-954	4X10 PLASTIC POPUP VENT WHITE	wsl
	062-2311	1/EA	G201-935	3X10 PLASTIC FLOOR REGISTR WHT	wsl
	062-2312	1/EA	T301-936	4X10 PLASTIC FLOOR REGISTR WHT	wsl
	068-6000	1/EA	G202-091	4X10 PLASTIC FLR REGISTER WHIT	wsl
	068-6004	1/EA	A602-095	4X10 PLASTIC FLR REGISTER BRWN	wsl
	068-6008	1/EA	J802-099	4X10 PLASTIC FLR REGISTER GREY	wsl
	068-6012	1/EA	T301-903	3X10 PLASTIC FLR REGISTER WHIT	wsl
	068-6016	1/EA	R701-907	3X10 PLASTIC FLR REGISTER BRWN	wsl
	068-6020	1/EA	G201-902	3X10 PLASTIC FLR REGISTER GREY	wsl
	068-6024	1/EA	L802-042	3X10 PLSTIC FLR REGISTER ALMND	wsl
	068-6028	1/EA	J701-607	4X10 PLSTIC FLR REGISTER ALMND	wsl
	068-9177	1/EA	D301-858	3X10 PLASTIC REGISTER ALMOND 6670470	wsl

Thermostats & Thermocouples					
	THERMOCOUPLES				
	067-9580	1/EA	G608-051	24 THERMOOUPLE	wsl
	067-9584	1/EA	A208-213	30 THERMOCOUPLE	wsl
	067-9588	1/EA	J708-307	36 THERMOCOUPLE	wsl
	THERMOCOUPLES - UNIVERSAL				
	<ul style="list-style-type: none"> • Replacement gas pilot light controls for furnaces, water heaters and space heaters • Easy installation • Copper construction • Includes universal adapter fittings for use with most pilot burners • In stock at IRLY 				
	061-7184	1/EA	L904-376	CQ1021 18" UNIVER THERMOCOUPLE	
	061-7185	1/EA	K804-377	CQ1013 24" UNIVER THERMOCOUPLE	
	061-7186	1/EA	J404-671	CQ10A1039/U 30" THERMOCOUPLE	
	061-7187	1/EA	H504-672	CQ1005 36" UNIVER THERMOCOUPLE	
	THERMOSTATS				
	061-7207	1/EA	R036-317	YRLV4300A1014 BASEBOARD PROG LINE VOLTAGE (240V)	
	063-2830	1/EA	P022-634	HOCT822K1034 1P L/VT 'STAT WHT	ned
	063-2842	1/EA	D010-466	CCXTD521W1P240V WALL THRM IVRY	ned
THERMOSTATS - DIMPLEX					
<ul style="list-style-type: none"> • Bimetal type • Fits right or left hand terminal box 					
DTK-SP THERMOSTAT SINGLE POLE DTK-SP THERMOSTAT					

	063-5038	1/EA	H011-912	SINGLE POLE	
	063-5040	1/EA	J014-918	DTK-DP THERMOSTAT DOUBLE POLE DTK-DP DOUBLE POLE THERMOSTAT	
	THERMOSTATS - ELECTRIC BASEBOARD ECONOMY - 2 WIRE				
	<ul style="list-style-type: none"> • 2-wire application • Used with central gas or oil heating and central electric cooking • Bimetal temperature sensor • Mercury free • Easy to install 				
	061-7205	1/EA	H709-363	CT410A1001/U ELEC HEAT THERMOS	
	THERMOSTATS - ELECTRIC WALL				
	063-2836	1/EA	K011-954	CCXTD522W 120V WALL THERM IVY	ned
	063-2838	1/EA	H016-221	CCXTD552W 2P240V WALL THERM WH	ned
THERMOSTATS - PROGRAMABLE/MANUAL TYPE					
COMMON FEATURES:					
<ul style="list-style-type: none"> • Heat only. • 2 wire. • 240 volt quiet. • Reliable mercury switch for accuracy and long life. • Replaces most 240 volt & millivoltage thermostats. • Adjustable heat anticipator for even temperature control. 					
	061-7191	1/EA	D028-794	YCT87K1011/U HEAT ONLY W/RING ROUND HEAT ONLY	
		061-7196	1/EA	T010-858	CT60A1036/U HONEYWELL BASE- BOARD THERMOSTAT WHITE
		061-7198	1/EA	T029-017	1 / 3% RTH230B1014/A 5/2 THERMOSTAT ELECTRONIC PROGRAMMABLE
	061-7199	1/EA	L016-925	RTH110B1018 LDC DIGITAL THERMOSTAT MANUAL AUBE	



061-7200 1/EA J016-602 YCT50K1014/U STND THERMOSTAT HEAT ONLY MODEL.



061-7201 1/EA H016-951 YCT54K1001 THERMOSTAT STANDARD MANUAL HEAT ONLY RECTANGULAR



061-7202 1/EA D017-267 YCT33A1000 HEAT-MILLIVOLT STAT 750 MILLIVOLT SYSTEMS.



061-7203 1/EA H025-008 YRLV3100A1019 BASEBOARD THERMT DIGITAL MANUAL THERMOSTAT



061-7206 1/EA D040-062 RTH4300B1026 5/2ELEC THERMOST LOW VOLTAGE (FOR FURNACE).



THERMOSTATS WESTERN CROSS DOCK



067-9590 1/EA R015-880 T822D1834 THERMOSTAT

wsl

067-9594 1/EA P032-993 T86A3006 THERMOSTAT

wsl



Galvanized Duct & Fittings					
	ALUMINUM FLEX DUCTING				
	068-6552	1/EA	R406-171	4X10 ALUM FLEX DUCTING MFX 410X	wsl
	ALUMINUM REDUCER/INCREASER				
	068-6620	1/EA	D407-571	4X3 ALUM REDUCER/INCREASER	wsl
	068-6622	1/EA	L403-715	4X3 GALV REDUCER/INCREASER 30GA	wsl
	068-6624	1/EA	J013-100	5X4 ALUM REDUCER/INCREASER	wsl
	068-6626	1/EA	G803-977	5X4 GALV CLOSE INCREASER 30GA	wsl
	068-6628	1/EA	D013-845	6X4 ALUM REDUCER/INCREASER	wsl
	068-6632	1/EA	K013-840	6X5 ALUM REDUCER/INCREASER	wsl
	068-6634	1/EA	T204-124	6X5 GALV CLOSE INCREASER 30GA	wsl
DRIVE CLEATS AND LINER					
	068-6756	1/EA	H801-800	60 DRIVE CLEATS 30GA 5'	wsl
		068-6760	1/EA	L502-750	60S CLEATS 30GA 5'
		GALVANIZED DAMPER			
	068-6768	1/EA	D801-533	4 GALV DAMPER	wsl
	068-6772	1/EA	K501-538	5 GALV DAMPER	wsl
	GALVANIZED DUCT FITTINGS				
	068-6732	1/EA	P301-769	10X8 GALV DUCT END CAP	wsl
	068-6736	1/EA	K501-572	12X8 GALV DUCT END CAP	wsl
	068-6740	1/EA	D101-656	14X8 GALV DUCT END CAP	wsl
GALVANIZED DUCTING 30GA					

	068-6720	1/EA	D012-509	10X8X5' GALV DUCT 30GA	wsl
	068-6728	1/EA	L015-500	6665128 14X8X5' GALV DUCT 30GA	wsl
GALVANIZED DUCTING BOOTS					
	068-6664	1/EA	D603-373	5" 3X10 GALV RIGHT ANGLE BOOT	wsl
	068-6668	1/EA	J904-165	5" 4X10 GALV RIGHT ANGLE BOOT	wsl
	068-6672	1/EA	R805-420	6" 4X10 GALV RIHGT ANGLE BOOT	wsl
	068-6676	1/EA	R903-376	5" 3X10 GALV UNIV STR BOOT	wsl
	068-6680	1/EA	D804-631	6" 3X10 GALV UNIV STR BOOT	wsl
	068-6684	1/EA	L704-163	5" 4X10 GALV UNIV STR BOOT	wsl
	068-6688	1/EA	D505-427	6" 4X10 GALV UNIV STR BOOT	wsl



068-6692

1/EA

P703-374

5" 3X10 GALV END BOOT

wsl



068-6696

1/EA

H804-166

5" 4X10 GALV END BOOT

wsl



068-6700

1/EA

L905-421

6" 4X10 GALV END BOOT

wsl



068-9121

1/EA

K804-120

4X3X10 RIGHT ANGLE BOOT 6715509

wsl



068-9122

1/EA

G805-155

4X4X10 RIGHT ANGLE BOOT 6713016

wsl



068-9123

1/EA

H504-638

6X3X10 RIGHT ANGLE BOOT 6711451

wsl

068-9124

1/EA

G604-639

6X3X10 END BOOT 6711368

wsl



068-9125 1/EA T204-124 4X3X10 UNIV BOOT 6716649

wsl

GALVANIZED DUCTING ELBOW



068-6556 1/EA T302-014 3X90 GALV ELBOW 30GA
 068-6560 1/EA L802-097 4X90 GALV ELBOW 30GA
 068-6564 1/EA G302-192 5X90 GALV ELBOW 30GA
 068-6568 1/EA A302-758 6X90 GALV ELBOW 30GA
 068-6572 1/EA R405-059 7X90 GALV ELBOW 30GA
 068-6576 1/EA H105-323 8X90 GALV ELBOW 30GA
 068-6580 1/EA A705-407 6X90 GALV ELBOW 26GA
 068-6584 1/EA G806-211 7X90 GALV ELBOW 26GA

wsl

wsl

wsl

wsl

wsl

wsl

wsl

wsl

GALVANIZED DUCTING TEE



068-6592 1/EA K805-400 4X4X4 GALV TEE
 068-6596 1/EA T705-707 5X5X5 GALV TEE
 068-6600 1/EA J806-488 6X6X6 GALV TEE

wsl

wsl

wsl

GALVANIZED DUCTING WYE



068-6604 1/EA D106-101 5X5X4 GALV WYE
 068-6612 1/EA P807-864 6X5X4 GALV WYE
 068-6616 1/EA T309-769 7X6X4 GALV WYE
 068-9115 1/EA A506-394 4X4X4 WYE GALV 6660588

wsl

wsl

wsl

wsl

GALVANIZED END CAP



068-6744 1/EA J802-022 3X10 GALV WALL STACK END CAP

wsl

GALVANIZED FRESH AIR INTAKE





068-6820 1/EA A013-005 3-1/4X10 WALL CAP W/DAMPER

wsl


068-6824 1/EA L012-097 5" GALV WALL CAP W/DAMPER

wsl




068-6828 1/EA L015-285 6" GALV WALL CAP W/DAMPER

wsl




068-6832 1/EA R607-473 4" GALV FRESH AIR INTAKE

wsl



068-6836 1/EA T308-614 5" GALV FRESH AIR INTAKE

wsl



068-6840 1/EA D011-072 6" GALV FRESH AIR INTAKE

wsl



068-6844 1/EA A010-525 7 GALV FRESH AIR INTAKE

wsl










068-6848 1/EA D017-212 8 GALV FRESH AIR INTAKE

wsl

GALVANIZED PIPE DUCTING

068-6500	1/EA	D103-812	6661840 GALVANIZED PIPE ROUND DUCTING 3"X36" 30GA	wsl
068-6504	1/EA	J504-749	6661858 GALVANIZED PIPE ROUND DUCTING 4"X36" 30GA	wsl
068-6508	1/EA	J407-904	6710783 GALVANIZED PIPE ROUND DUCTING 4"X60" 30GA	wsl
068-6512	1/EA	H805-075	6660206 GALVANIZED PIPE ROUND DUCTING 5"X36" 30G	wsl
068-6516	1/EA	K107-701	6713558 GALVANIZED PIPE ROUND DUCTING 5"X60" 30GA	wsl
068-6520	1/EA	J105-401	6716045 GALVANIZED PIPE ROUND DUCTING 5"X60" LIGHT GA	wsl

	068-6524	1/EA	D805-977	6660530 GALVANIZED PIPE ROUND DUCTING 6"X36" 30GA	wsl
	068-6528	1/EA	A809-953	6710785 GALVANIZED PIPE ROUND DUCTING 6"X60" 30GA	wsl
	068-6532	1/EA	R507-350	6660344 GALVANIZED PIPE ROUND DUCTING 7"X36" 30GA	wsl
	068-6536	1/EA	H012-258	6716643 GALVANIZED PIPE ROUND DUCTING 7"X60" 30GA	wsl
	068-6544	1/EA	A025-834	7X36 GALV PIPE 26GA	wsl
GALVANIZED PIPE SUPPORT					
	068-9118	1/EA	R370-470	16 GALV PIPE SUPPORT 6714530	wsl
GALVANIZED TAKEOFF ROUND					
	068-6636	1/EA	T503-372	5" GALV TAKEOFF UNIV ROUND	wsl
	068-6640	1/EA	D106-189	5" GALV TAKEOFF UNIV ROUND	wsl
	068-6644	1/EA	J802-831	5" GALV TAKEOFF TOP SQ-ROUND	wsl
	068-6648	1/EA	L104-567	6 GALV TAKEOFF TOP SQ-ROUND	wsl
	068-6652	1/EA	P205-057	7 GALV TAKEOFF TOP SQ-ROUND	wsl
	068-6656	1/EA	T102-834	5 GALV TAKEOFF SIDE SQ-ROUND	wsl

	068-6660	1/EA	G804-022	6 GALV TAKEOFF SIDE SQ-ROUND	wsl
	068-9119	1/EA	D903-654	4" GALV TOP TAKEOFF 6710122	wsl
	068-9120	1/EA	A103-656	4" SIDE TAKEOFF 6713061	wsl
	GALVANIZED WALL CAP WITH DAMPER				
	068-9112	1/EA	H010-115	4" GALV WALL CAP W/DAMPER 6710777	wsl
LONGWAY AND SHORTWAY ELL					
	068-6748	1/EA	G016-996	3-1/4X10X90 LONGWAY ELL	wsl
	068-6752	1/EA	H908-465	3-1/4X10X90 SHORTWAY ELL	wsl
	RANGEHOOD TRANSITION FOR DUCTING				
	068-6704	1/EA	G905-054	5" 3-1/4X10 RANGHOOD TRNSITION	wsl
	068-6708	1/EA	L806-475	6" 3-1/4X10 RANGHOOD TRNSITION	wsl
	ROOF JACK				
	• Square Roof Vent - all pitch				
	068-6860	1/EA	G014-291	6X6 ROOF JACK LGE	wsl
	068-6864	1/EA	L015-678	8X8 ROOF JACK LGE	wsl
	068-6868	1/EA	J019-025	6 RD ROOF JACK LGE W/DAMPER	wsl
	WALL STACK DUCT				
	068-6712	1/EA	T011-677	3-1/4X10X3' WALL STACK DUCT	wsl
	068-6716	1/EA	T019-455	3-1/4X10X5'WALL STACK DUCT	wsl